



ICETRO



WORLD BEST

YOGURT & SOFT ICE CREAM MACHINE



Compact Design
Can be installed in tight areas.



Low noise & vibration
Operating sound is very low compared to the same grades.



Single Flavor

Two Flavors & One Twist

	SSI-141TG	SSI-143S
Dimension	397x680x710(mm) 15.7x26.8x30.0(inch)	510x698x1,508(mm) 20.1x27.5x59.4(inch)
Weight	82Kg(181lbs)	170Kg(375lbs)
Electric	115V/60Hz/1Ph 208~230V/60Hz/1Ph 220~240V/50Hz/1Ph	208~230V/60Hz/1Ph 220~240V/50Hz/1Ph



SSI-141TG

SSI-143S



Powerful Production Capacity
Oversized compressor cuts down on production time.



Mass Storage Capacity
The Large Mix Hopper & Cylinder can serve Soft Ice Cream & Yogurt continuously.



(P)*Model has Air Pump System
Air Pump makes Soft Serve much smoother and softer.

Single Flavor

Two Flavors & One Twist

	SSI-300T(P)*	SSI-303S(P)*
Dimension	460x864x907(mm) 18.2x34.1x35.7(inch)	669x961x1,540(mm) 26.4x37.9x60.7(inch)
Weight	130Kg(287lbs)	330Kg(728lbs)
Electric	208~230V/60Hz/1Ph 220~240V/50Hz/1Ph	208~230V/60Hz/1Ph 220~240V/50Hz/1Ph 380~440V/50Hz/3Ph



SSI-300T(P)*

SSI-303S(P)*



Luxurious & Simple Design
Touch screen button and simplified display match with any interior design.



Artificial Intelligence Control System
AI Control System makes high quality soft serve ice cream.



- Touch Screen Button Display
- Voice Guide Function
- Smart Control System

Single Flavor

Two Flavors & One Twist

	SSI-151TG	SSI-203S(N)(P)*
Dimension	397x814x771(mm) 15.7x32.1x30.4(inch)	580(530)x900x1,520(mm) 22.9(20.9)x35.5x59.9(inch)
Weight	90Kg(198.4lbs)	250Kg(551.2lbs)
Electric	115V/60Hz/1Ph 208~230V/60Hz/1Ph 220~240V/50Hz/1Ph	208~230V/60Hz/1Ph 220~240V/50Hz/1Ph



SSI-151TG

SSI-203S(P)*



Multipurpose ALL IN ONE
Slush & Soft Ice Cream machines are combined.
You can enjoy Slush & Yogurt together.



ALL IN ONE

Dimension	825x724x1,500(mm)	32.5x28.5x59.1(inch)
Weight	180Kg(397lbs)	
Electric	208~230V/60Hz/1Ph	220~240V/50Hz/1Ph



ALL IN ONE

NEW HEAT TREATMENT



SSI-273SH(P)*



Artificial Intelligence Control System
AI Control System makes high quality soft serve ice cream.



- Touch Screen Button Display
- Voice Guide Function
- Smart Control System



Heat Treatment System (Pasteurization System)
Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products up to two weeks. You can also choose an automatic or manual heating cycle mode.



Agitator
Quick Cooling
Prevents separation of liquids.



Convenient Functions
Cleaning - Water Supply
Easy Drain



Various Functions
Defrost / Refresh / Recycle / Boil Functions

- Defrost Function : Heats the cylinder for easy dispensing.
- Refresh Function : Freezes the cylinder for harder ice cream.
- Recycle Function : Defrost the ice cream then automatically switches to auto mode for quality ice cream.
- Boil Function : Heats the cylinder and mix-hopper for easy cleaning.



(P)*Model has Air Pump System
Air Pump makes Soft Serve much smoother and softer.

Two Flavors & One Twist

Dimension	530x930x1,660(mm)	20.9x36.6x65.3(inch)
Weight	270Kg(595lbs)	
Electric	208~230V/60Hz/1PH	380~440V/50Hz/60Hz/3PH

NEW VENDING MACHINE



SSI-273SHV



Cone dispenser
contain 210cones



Coin Mechanism



7" LCD panel
Video & Jpeg available



Heat Treatment System (Pasteurization System)
Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products up to two weeks. You can also choose an automatic or manual heating cycle mode.

How to enjoy Ice Cream




1. Insert coin



2. Pick the cone



3. put the cone to dispenser



4. Enjoy



Agitator
Quick Cooling
Prevents separation of liquids.



Various Functions
Defrost / Refresh / Recycle / Boil Functions

One Twist

Dimension	812x870x1,955(mm)	32.0x34.3x77.0(inch)
Weight	310Kg(684lbs)	
Electric	208~230V/60Hz/1PH	380~440V/50Hz/60Hz/3PH

Yogurt & Soft Ice Cream Machine Model Information



SSI-141TG

Mix Hopper Capacity	10liter (2.64gallon)
Cylinder Capacity	1.4liter (0.37gallon)
Power Consumption	1,150W
Dasher Motor	0.37KW
Maximum Production	12Kg/h(26.5lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	5~6cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP(R404A)
Compressor-Mix Hopper	None



SSI-143S

Mix Hopper Capacity	5.5liter (1.45gallon)x2EA
Cylinder Capacity	1.4liter (0.37gallon)x2EA
Power Consumption	2,700W
Dasher Motor	0.37KWx2EA
Maximum Production	24Kg/h(52.9lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	10~15cups(100cc/3.5oz)
Compressor-Cylinder	0.85HPx2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



SSI-151TG

Mix Hopper Capacity	10liter (2.64gallon)
Cylinder Capacity	1.4liter (0.37gallon)
Power Consumption	1,400W
Dasher Motor	0.37KW
Maximum Production	16Kg/h(35.3lbs/h)
First Dispensing Time	6~9min
Consecutive Dispensing	5~6cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



SSI-203S(N)(P)*

Mix Hopper Capacity	10liter (2.64gallon)x2EA
Cylinder Capacity	2.7liter (0.72gallon)x2EA
Power Consumption	4,000W
Dasher Motor	0.75KWx2EA
Maximum Production	42Kg/h(92.6lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	16~40cups(100cc/3.5oz)
Compressor-Cylinder	1.3HPx2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



SSI-300T(P)*

Mix Hopper Capacity	17.5liter (4.62gallon)
Cylinder Capacity	3.2liter (0.85gallon)
Power Consumption	1,650W
Dasher Motor	0.75KW
Maximum Production	30Kg/h(70.5lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	20~24cups(100cc/3.5oz)
Compressor-Cylinder	1.2HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



SSI-303S(P)*

Mix Hopper Capacity	17.5liter (4.62gallon)x2EA
Cylinder Capacity	3.2liter (0.85gallon)x2EA
Power Consumption	7,500W
Dasher Motor	0.75KWx2EA
Maximum Production	68Kg/h(149.9lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	50~90cups(100cc/3.5oz)
Compressor-Cylinder	2.0HPx2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



ALL IN ONE

Soft Ice Cream Part : Same as SSI-151TG
Slush Part

Mix Tank Capacity	9liter (2.38gallon)
Power Consumption	1,020W
Gear Motor	67Wx2EA
First Dispensing Time	30~50min
Dispensing Capacity	50cups/h
Controlled by	Torque & TC
Compressor	0.85HP(R404A)



SSI-273SH(P)*

Mix Hopper Capacity	9.5liter (2.61gallon)x2EA
Cylinder Capacity	2.7liter (0.72gallon)x2EA
Power Consumption	4,500W
Dasher Motor	0.65KWx2EA
Maximum Production	42Kg/h(92.6lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	16~40cups(100cc/3.5oz)
Compressor-Cylinder	1.5HPx2EA(R404A)
Compressor-Mix Hopper	None



SSI-273SHV

Mix Hopper Capacity	9.5liter (2.61gallon)x2EA
Cylinder Capacity	2.7liter (0.72gallon)x2EA
Power Consumption	4,500W
Dasher Motor	0.55KWx2EA
Maximum Production	120cones/hour
First Dispensing Time	7~11min
Consecutive Dispensing	40cones
Compressor-Cylinder	1.5HPx2EA(R404A)
Compressor-Mix Hopper	None



AUSTRALIAN SLUSH MACHINES

Web-site : www.australianslushmachines.com.au

Tel : 0418 344 048

email : australianslush@optusnet.com.au

* Product's exterior and specification can be modified without prior notice.